

Monmouth County



MONMOUTH

Monmouth County Index of Sites

Site Name	Page #
1603 Dumont Terrace	201
Arky Property	202
Bog Creek Farm	203
Burnt Fly Bog	204
Hill House Horse Farm	206
Imperial Oil Company Incorporated/Champion Chemical	207
Magnolia Avenue Ground Water Contamination	209
Monitor Devices Incorporated	211
US Coast Guard Repeater Station	212
Waldick Aerospace Devices Incorporated	213
Zschiegner Refining Company	214

1603 Dumont Terrace

1603 Dumont Terrace

Wall Township

Monmouth County

BLOCK: 261 **LOT:** 7

CATEGORY: Non-Superfund
State Lead, IEC

TYPE OF FACILITY: Private Residence
OPERATION STATUS: Not Applicable

PROPERTY SIZE: 0.25 Acre

SURROUNDING LAND USE: Residential/Commercial

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds

STATUS

Monitoring

Air

Volatile Organic Compounds

Monitoring

FUNDING SOURCES


Corporate Business Tax

AMOUNT AUTHORIZED

\$275,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

This site is a residential property located approximately 1,500 feet from the Shark River. NJDEP designated the site an Immediate Environmental Concern (IEC) in 1998 when the owner of the home reported strong gasoline-like odors in the basement and analysis of a water sample collected from the sump revealed high levels of the volatile organic compounds benzene and methyl-tertiary butyl ether (MTBE). NJDEP's Division of Publicly Funded Site Remediation installed a new sump pump in the basement along with a carbon treatment unit to remove the volatile organic compounds from the sump water before it is discharged to the storm sewer. Preliminary investigation work conducted by NJDEP in 2000 revealed the presence of a localized, narrow plume of gasoline-contaminated ground water beneath the residence and identified a nearby service station as the likely source. NJDEP is periodically sampling the ground water to monitor the extent of the contaminant plume. The operator of the service station is conducting a Remedial Investigation to delineate the soil and ground water contamination under the supervision of NJDEP's Bureau of Underground Storage Tanks.



Arky Property

217 Route 520

Marlboro Township

Monmouth County

BLOCK: 268 **LOT:** 79

CATEGORY: Non-Superfund
State Lead

TYPE OF FACILITY: Automobile Junkyard
OPERATION STATUS: Active

PROPERTY SIZE: 22 Acres

SURROUNDING LAND USE: Residential

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds
Metals

STATUS

Delineating

Soil

Volatile Organic Compounds
Polychlorinated Biphenyls (PCBs)

Partially Removed/Delineated

FUNDING SOURCES

1986 Bond Fund
Corporate Business Tax


















AMOUNT AUTHORIZED

\$336,000
\$567,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

The site encompasses 22 acres, seven of which are used as an automobile junkyard. A portion of the junkyard was formerly used as a dump for drums, sludges, liquid wastes, tires and other debris. In 1987, the Superior Court of New Jersey ordered NJDEP to conduct an investigation of the former disposal area to determine the scope and cost to remediate the site. NJDEP's Division of Publicly Funded Site Remediation removed 22 buried drums from the site in 1988 under an Interim Remedial Measure (IRM). NJDEP conducted an initial investigation in 1991 that revealed although ground water at the site was contaminated, nearby private potable wells had not been affected. The Superior Court of New Jersey issued a judgment against the Responsible Party in 1996 for 100% of the past costs incurred by the State.

Between 1998 and 1999, NJDEP conducted a second IRM to excavate and dispose of 70 buried drums, some smaller containers of chemical wastes and approximately 1,000 cubic yards of contaminated soil, and began a Remedial Investigation and Remedial Action Selection (RI/RAS) to delineate the contamination in the soil and ground water and evaluate remedial alternatives. The RI/RAS revealed that the surface soil within a 1.25 acre area of the junkyard is contaminated with polychlorinated biphenyls (PCBs). The RI/RAS also revealed that the ground water at the site is contaminated with volatile organic compounds, including trichloroethylene (TCE) and methyl-tertiary butyl ether (MTBE); however, NJDEP determined that there are no potable wells or other receptors downgradient of the site and that the volatile organic compounds may diminish naturally through biodegradation. In 2001, after completing the RI/RAS, NJDEP issued a Proposed Decision Document that recommended excavation of the PCB-contaminated soil and long-term monitoring of the ground water to verify that natural attenuation is occurring. NJDEP expects to issue the final Decision Document and begin implementing the soil remedial action and ground water monitoring in 2002.

PROJECT NAME	RI/RAS	DESIGN	CONSTR	O&M	
IRM-Drum Removal I					 Planned
IRM-Drum Removal II					 Underway
Sitewide					 Completed
					 Not Required

Bog Creek Farm

Herbertsville Road

Howell Township

Monmouth County

BLOCK: 46 **LOT:** 29

CATEGORY: Superfund
Federal Lead

TYPE OF FACILITY: Illegal Dump
OPERATION STATUS: Inactive

PROPERTY SIZE: 12 Acres

SURROUNDING LAND USE: Agricultural/Recreational

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds

STATUS

Treating

Soil

Volatile Organic Compounds

Remediated

Sediments

Volatile Organic Compounds

Remediated

FUNDING SOURCES

Superfund
1981 Bond Fund
1986 Bond Fund
Hazardous Discharge Site Cleanup Fund

AMOUNT AUTHORIZED

\$31,524,000
\$268,000
\$900,000
\$1,743,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

Bog Creek Farm is located in a rural area that is primarily agricultural and recreational in nature. Allaire State Park is located within 1/2 mile of the site. A branch of Squankum Brook forms the northern border of the site. A pond and a wetlands area (also known as "the bog") are located near the northern border of the site. Approximately four acres of this privately owned property were used for illegal disposal of wastes between 1973 and 1974, when solid and liquid chemical wastes and sludges were disposed of in open areas and excavated pits. Approximately 2,400 cubic yards of wastes, including organic solvents, paint residues, disinfectants and general debris, were estimated to have been disposed of in the pits.

In 1983, USEPA placed Bog Creek Farm on the National Priorities List of Superfund sites, and began a Remedial Investigation and Feasibility Study (RI/FS) to determine the extent of the contamination and evaluate cleanup alternatives. The findings of the RI/FS confirmed that the soil near the waste disposal pits was highly contaminated with volatile organic compounds. In 1985, USEPA signed a Record of Decision (ROD) with NJDEP concurrence that required excavation and incineration of the buried wastes and contaminated soil. USEPA completed the remedial activities specified in the ROD in 1990. Approximately 15,000 cubic yards of contaminated soil and sediments were excavated, incinerated and backfilled on site.

USEPA also determined based on the RI/FS that the ground water at the site was contaminated with volatile organic compounds and contaminated sediments were present in Squankum Brook. In 1989, USEPA issued a second ROD with NJDEP concurrence that required installation of an on-site remediation system to extract and treat the contaminated ground water and excavation and incineration of the contaminated brook sediments. Incineration of the contaminated sediments was completed in 1990 during the soil remedial action. USEPA completed construction of the ground water remediation system in 1994 and is overseeing the operation of the system. Operation and maintenance (O&M) of the ground water remediation system will continue until ground water cleanup criteria have been met.

PROJECT NAME	RI/FS	DESIGN	CONSTR	O&M
Source Area				
Soil & Plume				

Planned

Underway

Completed

Not Required

Burnt Fly Bog

Texas & Spring Valley Roads

Marlboro Township

Monmouth County

BLOCK: 146 **LOT:** Upland Area: 47
Tar Patch: 7
N. Wetlands: 8
W. Wetlands: Various

CATEGORY: Superfund
State Lead

TYPE OF FACILITY: Waste Oil Storage
OPERATION STATUS: Inactive

PROPERTY SIZE: 1,700 Acres

SURROUNDING LAND USE: Undeveloped/Residential

MEDIA AFFECTED	CONTAMINANTS	STATUS
Surface Water (Wetlands)	Petroleum Hydrocarbons Volatile Organic Compounds Polychlorinated Biphenyls (PCBs) Lead	Delineated
Soil	Petroleum Hydrocarbons Volatile Organic Compounds Polychlorinated Biphenyls (PCBs) Lead	Partially Removed/ Delineated
Sediment	Petroleum Hydrocarbons Volatile Organic Compounds Polychlorinated Biphenyls (PCBs) Lead	Delineated

FUNDING SOURCES	AMOUNT AUTHORIZED
Superfund	\$41,097,000
Spill Fund	\$2,215,000
1986 Bond Fund	\$473,000
General State Fund	\$1,164,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

The Burnt Fly Bog site is located on a ground water discharge area of the Englishtown aquifer, where ground water flows to the surface and drains into Deep Run, a nearby creek. During the 1950s and 1960s, waste oil was stored in several unlined lagoons encompassing a 10-acre area of the property. The lagoon area became known as the "Uplands." Waste oil from the Uplands eventually contaminated other areas, which became known as the "Northerly Wetlands," the "Tar Patch," and the "Westerly Wetlands." In addition, adjacent to the Westerly Wetlands is the "Downstream Area," where contaminated sediments that migrated from upgradient areas had settled in a stream bed. While the entire Burnt Fly Bog encompasses about 1,700 acres, the areas of contamination are limited to approximately 60 noncontiguous acres.

USEPA added Burnt Fly Bog to the National Priorities List of Superfund sites (NPL) in 1983. Later that year, NJDEP completed a Remedial Investigation and Feasibility Study (RI/FS) and issued a Record of Decision (ROD) with USEPA concurrence that required remediation of the Uplands. Between 1985 and 1989, NJDEP conducted several remedial actions in the Uplands including the removal of waste referred to as the "Asphalt Pile," removal of lagoon liquids, excavation and off-site disposal of approximately 85,000 tons of contaminated soil, stabilization of sludge and installation of a clay cap over the area. Remediation of the Uplands area was completed in 1992, after NJDEP removed about 700 tons of stockpiled PCB-contaminated soil and transported it off site for incineration.


In 1988, NJDEP issued a ROD with USEPA concurrence for the Westerly Wetlands. The ROD required the evaluation of innovative technologies to address the contaminated soils at this area, with interim measures to contain the contamination while the evaluations were being conducted. The interim measures included installation of a fence around the Westerly Wetlands, removal of contaminated soil and sediments from the Downstream Area, and the installation of a sedimentation basin to prevent contaminated sediments from the Westerly Wetlands and other areas from migrating off site. NJDEP completed excavation and off-site disposal of approximately 12,000 tons of contaminated soil and sediments from the

Burnt Fly Bog

(Continued from previous page)

Downstream Area and construction of the sedimentation basin in 1996. NJDEP is maintaining the sedimentation basin and sampling the surface water and sediments in Burnt Fly Brook, which receives water from the basin, on a regular basis. Access to the Westerly Wetlands is being prevented by a security fence that was installed pursuant to the 1988 ROD.

In 1998, after completing a supplemental Feasibility Study for the site, USEPA signed a ROD with NJDEP concurrence for the Westerly Wetlands, Northerly Wetlands and the Tar Patch. The ROD required excavation and disposal of contaminated soil from the Northerly Wetlands and the Tar Patch followed by backfilling of these areas with clean materials and reestablishment of the wetlands, and no action for the Westerly Wetlands except for long-term biological sampling to monitor the impact of the contaminants on wildlife. NJDEP expects to complete the Remedial Design for the removal of contaminated soil from the Northerly Wetlands and the Tar Patch in 2002.



Hill House Horse Farm

54 Baird Road

Millstone Township

Monmouth County

BLOCK: 23 **LOT:** 24

CATEGORY: Non-Superfund
State Lead

TYPE OF FACILITY: Illegal Dump
OPERATION STATUS: Not Applicable

PROPERTY SIZE: 53 Acres

SURROUNDING LAND USE: Rural

MEDIA AFFECTED

Soil

CONTAMINANTS

Inorganic Compounds
Metals

STATUS

Levels Not of Concern

Surface Water

Metals

Levels Not of Concern

FUNDING SOURCES













Spill Fund

AMOUNT AUTHORIZED

\$650,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

The site is a horse farm that is located adjacent to a tributary of the Millstone River and lies within a freshwater wetland and flood hazard area. NJDEP began an investigation of the site in 1989, after the Monmouth County Prosecutor's Office received a report that solid wastes had been illegally dumped there. An initial inspection revealed that an area approximately three acres in size had been filled with construction and demolition debris, commercial wastes and abandoned vehicles. Stained soils and leachate seeps were also noted in the disposal area. Between 1995 and 1998, NJDEP's Division of Publicly Funded Site Remediation and Millstone Township conducted a Remedial Investigation (RI) to evaluate the nature and extent of the contamination at the site due to the disposal activities. The RI revealed there was no significant contamination of either the soil or surface water and therefore no remedial action was warranted. The Division of Publicly Funded Site Remediation has referred this site to NJDEP's Division of Solid Waste Management to address the unpermitted landfilling of solid waste.

PROJECT NAME	RI/RAS	DESIGN	CONSTR	O&M	
Preliminary Site Investigation					 Planned
Sitewide					 Underway
					Completed
					Not Required

Imperial Oil Company Incorporated/Champion Chemical

Orchard Place Marlboro Township Monmouth County

BLOCK: 122 **LOT:** 29

CATEGORY: Superfund
State Lead

TYPE OF FACILITY: Oil Blending & Repackaging
OPERATION STATUS: Active

PROPERTY SIZE: 15 Acres

SURROUNDING LAND USE: Residential

MEDIA AFFECTED

CONTAMINANTS

STATUS

Ground Water

Volatile Organic Compounds
Semi-Volatile Organic Compounds
Petroleum Hydrocarbons
Metals

Delineated

Sediments

Semi-Volatile Organic Compounds
Petroleum Hydrocarbons
Polychlorinated Biphenyls (PCBs)
Metals

Delineated

Soil

Volatile Organic Compounds
Petroleum Hydrocarbons
Polychlorinated Biphenyls (PCBs)
Metals

Partially Removed/Delineated

FUNDING SOURCES

AMOUNT AUTHORIZED

Superfund

\$20,424,000

Spill Fund

\$4,000

1981 Bond Fund

\$14,000

1986 Bond Fund

\$1,509,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

This site has an extensive history of industrial operations dating back to 1912. A chemical plant manufactured arsenic-containing compounds at the site in the early part of the century. In 1950, Champion Chemical acquired the property and converted it into an oil reclamation facility. Operations under the Champion Chemical company involved using filter clay and caustic solutions to remove heavy metals and PCBs from waste oil. Since 1969, the Imperial Oil Company has blended and repackaged unused oil at the site under a lease agreement with Champion Chemicals. USEPA placed the Imperial Oil/Champion Chemicals property on the National Priorities List of Superfund sites in 1983 after sampling showed that a large waste filter clay pile and the soil at the site were highly contaminated with petroleum hydrocarbons, heavy metals and PCBs.

In 1985, NJDEP began a Remedial Investigation (RI) to determine the nature and extent of the contamination at the site. The RI confirmed that both on-site and off-site soils had been contaminated by past industrial operations at the facility. In addition, the RI revealed that the underlying Englishtown Aquifer was contaminated and a substantial volume of residual oil product was floating on the water table underneath the waste filter clay pile. Contamination was also found in the sediments of Birch Swamp Brook, which originates near the northeastern border of the site and drains into Lake Lefferts approximately 1.25 miles away. Due to the size of the property and the complexity of the issues to be addressed, NJDEP has divided the remediation of the site into several Operable Units (OU): off-site soil that is contaminated with heavy metals and PCBs, and the contaminated sediments in Birch Swamp Brook (OU1); the contaminated ground water (OU2); and on-site soil contaminated with volatile organic compounds, petroleum hydrocarbons, heavy metals and PCBs (OU3). NJDEP performed separate Feasibility Studies (FS) for each OU to evaluate cleanup alternatives and selected the appropriate remedies as detailed below.

Off-site soil and sediments (OU1): In 1990, USEPA issued a Record of Decision (ROD) with NJDEP concurrence for OU1 that required installation of a fence around the off-site area to restrict access to contaminated soils, excavation and off-site disposal of contaminated soils and restoration of the affected wetlands. NJDEP is completing a Remedial Design to develop engineering plans and specifications for the OU1 remedy. Soil sampling performed in 1995 during the Remedial Design

Imperial Oil Company Incorporated/Champion Chemical

(Continued from previous page)


revealed an unanticipated sporadic pattern of arsenic contamination, some of which was detected at off-site residential properties. A study by the United States Geological Survey (USGS) concluded that there were multiple sources of the arsenic in the soil, including a minor contribution from natural background, historic application of arsenic-based pesticides and past industrial operations at the Imperial Oil site. The USGS study documented that the arsenic in the soil at four residential properties closest to the site was due to industrial operations. USEPA subsequently issued an Explanation of Significant Differences (ESD) to modify the OU1 ROD to include removal of the arsenic-contaminated soil from four residential properties. Remediation of the arsenic-contaminated soil at the four homes was completed in 1998.

In 1998, NJDEP conducted a Focused Feasibility Study (FFS) to determine the nature and extent of the sediment contamination in Birch Swamp Brook. NJDEP and USEPA concluded based on the findings of the FFS that sediments in the brook from the Fire Pond downstream to Texas Road were contaminated with elevated levels of PCBs and petroleum hydrocarbons. NJDEP also determined that soil at two residential properties located adjacent to Birch Swamp Brook and Texas Road was contaminated with arsenic at levels exceeding New Jersey cleanup criteria. USEPA and NJDEP plan to issue a second ESD for the OU1 ROD in 2002 that will add the remediation of contaminated Birch Swamp Brook sediments and additional residential soil areas to the OU1 remedy.

Ground water (OU2): In 1992, after completing the FS for OU2, USEPA issued a ROD with NJDEP concurrence that required installation of an on-site remediation system to extract and treat the contaminated ground water. The Remedial Design for the ground water remediation system was significantly delayed due to initial site access problems and laboratory analytical interferences that made it difficult to accurately delineate the arsenic plume. After a comprehensive investigation to determine the extent of arsenic in the ground water, NJDEP modified the scope of the Remedial Design to address a smaller contaminant plume that is limited to the site boundary. The Remedial Design for the ground water remediation system is expected to be completed in 2002.

On-site soil (OU3): In 1999, after the FS for the on-site contaminated soil was completed, USEPA issued a ROD with NJDEP concurrence for OU3. The ROD required excavation and off-site disposal of an estimated 83,000 cubic yards of contaminated soil and waste pile material and the off-site disposal of 5,000 gallons of oil product recovered from the site. NJDEP is conducting the Remedial Design for OU3.

Interim Remedial Measures: In addition to the work performed by NJDEP to investigate and remediate the three identified Operable Units, USEPA has also implemented three Interim Remedial Measures (IRM) at the site: removal of the heavily contaminated waste filter clay pile in 1991, installation of a recovery system to extract the oil-like floating product layer from the ground water in 1992; and demolition and disposal of a dilapidated four-story building in 2000. The floating oil recovery system is currently operating under the supervision of NJDEP. To date, approximately 20,000 gallons of oil have been recovered by the floating oil recovery system and disposed of at an off-site facility.



Magnolia Avenue Ground Water Contamination

Various Locations Wall Township & Sea Girt & Manasquan Boroughs Monmouth County

BLOCK: Various **LOT:** Various

CATEGORY: Non-Superfund
State Lead

TYPE OF FACILITY: Not Applicable
OPERATION STATUS: Not Applicable

PROPERTY SIZE: Not Applicable

SURROUNDING LAND USE: Residential/Commercial

MEDIA AFFECTED	CONTAMINANTS	STATUS
Ground Water	Tetrachloroethylene Trichloroethylene	Delineating
Surface Water	Tetrachloroethylene	Delineating
Soil	Tetrachloroethylene Trichloroethylene	Partially Removed/ Investigating
Air	Tetrachloroethylene	Delineating/Venting

FUNDING SOURCES
Corporate Business Tax

AMOUNT AUTHORIZED
\$50,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

This case is also known as the White Swan Cleaners Ground Water Contamination site and the Wall Township Ground Water Contamination site. In 1997, the Monmouth County Health Department (MCHD) was notified that analytical testing by a resident had revealed several irrigation wells on Magnolia Avenue in Wall Township were contaminated with tetrachloroethylene (also known as perchloroethylene, or PCE). MCHD conducted sampling between 1997 and 1998 that confirmed irrigation wells in the Magnolia Avenue area were highly contaminated with PCE, as well as with lower levels of trichloroethylene (TCE) and other volatile organic compounds.













In 1999, MCHD and NJDEP's Division of Publicly Funded Site Remediation conducted a joint study to determine the extent of the PCE contamination in the ground water and evaluate the risk to Sea Girt's municipal supply wells. The ground water study included sampling additional private irrigation wells, testing the surface water at Wreck Pond in Sea Girt Borough and Spring Lake Heights and monthly sampling of Sea Girt's municipal wells. The study revealed that a plume of shallow ground water contamination extends from Route 35 in Wall Township into Sea Girt Borough and a small part of northern Manasquan Borough, and that low levels of PCE were present in the surface water in a portion of Wreck Pond. The federal Agency for Toxic Substances and Disease Registry (ATSDR) reviewed the sampling results and concluded that the ground water was safe to use for irrigation. MCHD and NJDEP also determined that the water from Sea Girt's municipal supply wells met New Jersey Drinking Water Standards. However, as a precautionary measure, Sea Girt Borough installed a treatment unit at its well field to remove potential volatile organic contamination. There are no private potable wells in the area at risk of being contaminated due to the ground water plume.

In 2001, NJDEP completed an investigation that identified two defunct dry cleaning establishments and an active gas station in Wall Township as likely sources of the ground water contamination. Extensive soil and ground water contamination was subsequently confirmed at one of the locations, the former White Swan Dry Cleaners on Sea Girt Avenue (now a Fleet Bank). Based on these findings, in late 2001 NJDEP decided to test the indoor air at residences and a commercial business near the bank for PCE vapors. The testing showed that the indoor air in several adjacent buildings had significantly elevated levels of PCE vapors and the indoor air at some of the more distant properties had low levels of PCE vapors. NJDEP and USEPA installed ventilation systems at several buildings close to the bank to reduce the PCE vapors to acceptable levels. The bank excavated 820 cubic yards of contaminated soil from its property in December 2001 and backfilled the excavation with clean soil under the oversight of NJDEP's Division of Responsible Party Site Remediation. The Potentially Responsible Parties for the two other suspected sources of the ground water contamination, the former Sun Cleaners and a Gulf service station on Route 35, have not conducted any remedial investigation or cleanup work at their properties.

Magnolia Avenue Ground Water Contamination

(Continued from previous page)

Due to the size and complexity of the site, USEPA has agreed to address the Magnolia Avenue Ground Water Contamination site under its removal program. Under this program, USEPA will conduct additional indoor air testing, install ventilation systems at residences with high levels of PCE vapors and investigate the two other possible sources of the PCE contamination in the area. NJDEP will install ventilation systems in buildings where low levels of PCE vapors have been confirmed. USEPA is also evaluating this site for possible inclusion on the National Priorities List of Superfund sites (NPL).

PROJECT NAME	RI/RAS	DESIGN	CONSTR	O&M	
IRM-Home Ventilation Systems					 Planned
Sitewide					 Underway
					 Completed
					 Not Required

Monitor Devices Incorporated

Route 34 (Airport Access Road)

Wall Township

Monmouth County

BLOCK: 799 **LOT:** 13

CATEGORY: Superfund
Federal Lead

TYPE OF FACILITY: Electronics Manufacturing
OPERATION STATUS: Inactive

PROPERTY SIZE: 2.0 Acres

SURROUNDING LAND USE: Commercial/Industrial

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds
Metals

STATUS

Further Delineation Required

Soil

Volatile Organic Compounds
Metals

Delineated

FUNDING SOURCES

Superfund
General State Fund

AMOUNT AUTHORIZED

\$2,501,000
\$396,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

Monitor Devices operated a metals plating and circuit board manufacturing facility at this site between 1977 and 1981. The property is currently occupied by a furniture business. In 1980, during an inspection by the Monmouth County Health Department, two discharge pipes were noted at the rear of the main building. Sampling conducted by NJDEP revealed that the soil and ground water near the pipes were contaminated with solvents, acids and heavy metals. The high permeability of the soil and the shallow ground water table created a potentially easy route for contaminants to enter the underlying aquifers.

In 1986, USEPA added the Monitor Devices facility to the National Priorities List of Superfund sites (NPL) and NJDEP began a Remedial Investigation and Feasibility Study (RI/FS) to determine the nature and extent of the contamination and identify cleanup alternatives. NJDEP completed Phase I of the RI in 1989, and USEPA is currently conducting a Phase II RI to further delineate the extent of the ground water contamination as well as a Focused Feasibility Study (FFS) for an interim soil remedial action. USEPA has concluded that the contamination at the site does not present an immediate risk to human health or the environment.

PROJECT NAME



RI/FS

DESIGN

CONSTR

O&M

Sitewide



US Coast Guard Repeater Station

Seacrest Road

Monmouth Beach Borough

Monmouth County

BLOCK: 16

LOT: 1

CATEGORY: Non-Superfund
State Lead, IEC

TYPE OF FACILITY: Marine Police Station
OPERATION STATUS: Inactive

PROPERTY SIZE: 1.5 Acres

SURROUNDING LAND USE: Residential

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds

STATUS

Levels Not of Concern

Soil

Petroleum Hydrocarbons

Removed

Surface Water

Petroleum Hydrocarbons

Remediated

FUNDING SOURCES









Corporate Business Tax

AMOUNT AUTHORIZED

\$150,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

This site is also known as the former Monmouth Beach Marine Police Station. It is bordered on the east by the Atlantic Ocean and on the west by the Shrewsbury River. Two leaking underground fuel oil storage tanks were removed from the site in 1996; however, soil contaminated with fuel oil was left in place when the excavations were backfilled. In 1998, residual fuel oil in the soil and ground water at the site entered a hole in the adjacent storm sewer and began discharging into the Shrewsbury River through an outfall pipe. NJDEP's Division of Publicly Funded Site Remediation implemented an emergency action to remove the contaminated soil from the site and seal the sewer pipe to prevent future discharges. Approximately 1,100 tons of contaminated soil were excavated and disposed of during the emergency action. Sampling of the ground water conducted in 2001 showed the levels of contaminants were all below New Jersey Drinking Water Standards. No further remedial actions are planned for this site.

PROJECT NAME	RI/RAS	DESIGN	CONSTR	O&M	
IEC Soil Removal					 Planned
					 Underway
					 Completed
					 Not Required

Waldick Aerospace Devices Incorporated

2121 Route 35

Wall Township

Monmouth County

BLOCK: 733 **LOT:** 5

CATEGORY: Superfund
Federal Lead

TYPE OF FACILITY: Machinery Manufacturer
OPERATION STATUS: Inactive

PROPERTY SIZE: 1.72 Acres

SURROUNDING LAND USE: Commercial

MEDIA AFFECTED

Ground Water

CONTAMINANTS

Volatile Organic Compounds
Metals

STATUS

Delineated

Soil

Volatile Organic Compounds
Petroleum Hydrocarbons
Acids
Metals

Treated

FUNDING SOURCES

Superfund
1981 Bond Fund

AMOUNT AUTHORIZED


\$14,275,000
\$600,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

Waldick Aerospace Devices manufactured mechanical parts for spacecrafts at this site from 1979 to 1985. During the first three years of operation, contaminated wastewater and waste oil were discharged directly onto the ground at the facility. Sampling conducted by local officials and NJDEP between 1982 and 1984 confirmed that both on-site soil and off-site ground water were contaminated with metals and volatile organic compounds. These findings prompted USEPA to add Waldick Aerospace Devices to the National Priorities List of Superfund sites (NPL) in 1986.

In 1987, USEPA completed an initial Remedial Investigation and Feasibility Study (RI/FS) for the site and signed a Record of Decision (ROD) with NJDEP concurrence that required in-situ treatment of the organic-contaminated soil, and excavation and off-site disposal of one area of metals-contaminated soil. The ROD also required a supplementary RI/FS to evaluate the extent of the ground water contamination. However, the selected soil remedy did not conform to federal regulations for disposal of hazardous materials that were promulgated after the ROD was signed. In addition, although the original RI/FS indicated that the soil contaminated with volatile organic compounds and petroleum hydrocarbons was divided into two discrete areas according to the presence or absence of metals, sampling performed during the Remedial Design indicated that both areas were contaminated with metals. Based on this finding, USEPA modified the ROD in 1991 to require on-site thermal treatment to remove organic compounds from the soil, and off-site treatment and disposal of the metals-contaminated soil. USEPA demolished two of the buildings and completed the soil remedial action in 1993.

In 1991, after completing the supplementary RI/FS, USEPA signed a second ROD with NJDEP concurrence that required installation of an on-site remediation system to extract and treat the off-site contaminated ground water. However, sampling conducted during the Remedial Design showed significantly reduced levels of contaminants in the ground water. USEPA is therefore performing an additional phase of ground water monitoring to evaluate contaminant trends. If the results of this additional monitoring indicate that the contaminant plume is dissipating, the ground water remedy specified in the second ROD may be revised.



Zschiegner Refining Company

1442 Maxim Southard Road

Howell Township

Monmouth County

BLOCK: 36 **LOT:** 23

CATEGORY: Superfund
Federal Lead

TYPE OF FACILITY: Metals Recovery
OPERATION STATUS: Inactive

PROPERTY SIZE: 6.1 Acres

SURROUNDING LAND USE: Residential/Rural

MEDIA AFFECTED	CONTAMINANTS	STATUS
Soil	Metals	Delineating
Surface Water	Metals	Delineating
Sediments	Metals	Delineating
Ground Water	Metals	Delineating

FUNDING SOURCES

Superfund

AMOUNT AUTHORIZED

\$200,000

SITE DESCRIPTION/RESOLUTION OF ENVIRONMENTAL CONCERNS:

The Zschiegner Refining Company operated from 1964 to 1992 as a precious metals recovery facility. Operations included the chemical stripping of precious metals from watch bands, film and electrical components. Haystack Brook, its associated wetlands and a tributary to Haystack Brook flow through the property. In 1992, the facility was raided by the Federal Drug Enforcement Agency for illegally manufacturing methamphetamine. Authorities discovered approximately 3,000 different chemicals were being improperly stored at the site, including acids, caustics and potentially explosive and reactive compounds.

Between 1992 and 1995, USEPA conducted a preliminary investigation to determine the environmental conditions at the site and removed and disposed of the hazardous materials. Sampling performed during the investigation indicated that the soil, surface water and sediments at the property were contaminated with metals. Based on these findings, USEPA added the Zschiegner property to the National Priorities List of Superfund sites (NPL) in 1998. USEPA began a Remedial Investigation and Feasibility Study (RI/FS) in 1999 to determine the extent of the contamination in the soil, ground water, surface water and sediments and evaluate cleanup alternatives. USEPA will use the findings of the RI/FS to select the final remedial actions for the site, which will be outlined in one or more Records of Decision (ROD).

PROJECT NAME	RI/FS	DESIGN	CONSTR	O&M	
Sitewide	<div></div>	<div></div>	<div></div>	<div></div>	<div><div></div>Planned</div> <div><div></div>Underway</div> <div><div></div>Completed</div> <div><div></div>Not Required</div>